Native of Nagathihalli, Bindiganavale Hobli, Nagamangala Taluk ... ... *Petitioner.*

vs.

(1) Nanjamma *alias* Sannamma 30 years, residing in the House of Puttaswamygowda, Kadabahalli, Bindiganavale Hobli, Nagamangala Taluk, (2) Thimmegowda, 50 years, son of Hutchi Thimmegowda, residing at Nagathihalli, Bindiganavale Hobli, Nagamangala Taluk ... ... *Respondents.*

Whereas the above named petitioners resident of Nagathihalli, declaring to be the nearest heirs of the said Melagirigowda, deceased, have applied to this court for a certificate under Act VII of 1901, to collect debts payable in respect of the Insurance Policy of the Mysore Life Insurance, Ltd., on the Life of Malagirigowda, deceased resident of Nagathihalli.

Notice is hereby given of the said application and all claimants to the estate of the said deceased, N H. Melagirigowda are invited to appear in this Court on 21st day of November 1947 when the application of the said petitioners will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 5th day of November 1947.

599 H. R. MAHANTIA, *Munsiff.*

IN THE COURT OF THE SUBORDINATE JUDGE AT SHIMOGA.

Miscellaneous Case No. 37 *of* 1947-48.

1. Hanumantha Rao bin N. M. Hemajappa, aged 20 years, Namadeva Simpigi by caste, Cloth Merchant, resident of Nyamathi, Honnali Taluk, (2) His mother Ganga Bayi kom N. M. Hemajappa, about 40 years, Namadeva Simpigi by caste, resident of Nyamathi, Honnali Taluk ... ... *Petitioners.*

vs.

1. Ramachandra Rao bin N. M. Hemajappa, 6 years, minor by guardian bin mother Devagangabayee, resident of Nyamathi, Honnali Taluk, 2. His mother Devaganga Bai kom N. M. Hemajappa, 30 years, Namadeva Simpigi by caste, Cloth Merchant, Resident of Nyamathi, Honnali Taluk, 3. N. L. Hanumanthappa, son of Lakshmanappa, 60 years, Namadeva Simpigi by caste, and profession, resident of Nyamathi, Honnali Taluk... ... *Respondents.*

In the matter of the estate of N. M. Hemajappa ... *Deceased.*

Whereas the abovesaid petitioners claiming to be the legal heirs of N. M. Hemajappa, deceased, having applied to this Court for a Certificate under Succession Certificate Act, Section 6 of Act of 1901, to collect debts payable in respect of the said N. M. Hemajappa, deceased, resident of Nyamathi, Honnali Taluk.

Notice is hereby given of the said application and all the claimants to the estate of the said N. M. Hemajappa, deceased, are invited to appear in this Court on the 27th November 1947, when the application of the said petitioners will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 30th day of October 1947.

Schedule.

Insurance amount in Mysore Government Insurance Department, Public Branch under Policies (1) 31924—C, 35092—C, 77381—C, and 82581—C, and a sum of Rs. 2,758-8-0 on all the policies.

611 K. VISVESWARIAH, *Sub-Judge.*

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, "UNITED INDIA" BUILDING, BANGALORE.

Dated 27th October 1947.

To

The Firms dealing in Wires and Cables.

Enquiry No. 8572.

Aerieal Cable for Automatic Telephone System.

Gentlemen,

No. S. P. C. 9551-70. I request you to be so good as to intimate your best present day prices and the earliest time of delivery for the materials specified below :—

(1) Aerieal cable consisting of two separate conductors of No. 14 B. and S. or 1/.064" solid tinned copper of the highest conductivity vulcanised India rubber insulated, double cotton braided and twisted together one of the wires shall be coloured red and the other black for identification. The wires after insulation and binding shall have a weather proof finish suitable for out door use in a tropical climate. 15 miles

Alternative quotations to be furnished for the above for 250—V, and 660—V, grades.

(2) Leather or canvas suspenders with eyelets and galvanised hooks (4½ to 6" long and 1½" to 2" wide). 5,000 Nos.

The materials should conform to the latest B. S. S. or A. I. E. E. standards whether the materials will be supplied from stocks or from expected consignment may be intimated. Complete technical date materials offered may also be furnished.

Your quotation may be submitted in duplicate so as to reach this office not later than 15th December 1947.

3532

Dated 26th October—6th November 1947.

Enquiry No. 8578.

Re: Underground Telephone Cables.

No. S.P.C. 11499. Sealed tenders will be received by the Secretary, Stores Purchase Committee, up to 16th December 1947, for the supply of the underground Telephone Cables.

Intending tenderers may on application to the undersigned obtain the requsite particulars.

3533

Dated 4th November 1947.

To

The Firms dealing in Controlling equipment for Additional Filters.

Enquiry No. 8591.

Subject:—Controlling equipment for Additional Filter at Mysore.

DEAR SIR/GENTLEMEN,

No. S. P. C. 10249-66. Please be good enough to intimate your best prices and the earliest time of delivery f.o.r. Mysore for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for controlling equipment for Additional Filters at Mysore" with the above enquiry number.

This enquiry will be closed on the 29th November 1947.

SCHEDULE.

Requirements of controllers for operation of Rapid Gravity Filters of 0·5 M. G. D. capacity 18'×12' Filtering area, in Mysore.

I. INFLUENT CONTROLLERS—3 Nos. 8" diameter with an 8" diam. Flanged Piece 1'—4½" or so long to be fixed in a 8" or 9" R. C. C. Filter Wall. The piece to have an additional Flanged External Rib to be embedded in the wall. The usual hinged butter-fly flap wall in gun metal with Regulator Lever arm to be provided. All parts coming in contact with water to be of corrosion proof materials, as also the rocker arms, etc. The copper or other metal float valve to be robust in construction and not too thin. The whole equipment to be durable to ensure a service of not less than 20 years. The head stock and other fixtures should be included in the offer.

II. EFFLUENT AUTOMATIC CONTROLLER—of 6" or 8" diameter to supply pure Filtered Water from an area of 18'×12' at 0·5 M.G.D. together with an extra capacity up to 20 per cent to be of the venturi or other type. The space between flanges in which this equipment is to be installed is 5 feet The width overall of the equipment is not to be greater than 2½ feet. The equipment is to include a loss of Head Guage and connections and wiring, etc., Rate of Flow and wash Indicators—Required 3 Nos.

Separate quotation to be given extra for slow starting service also.

Both the controllers noted above should be such as to treat up to 0—6 M.G.D. when needed, though normally the capacity is 0·5 M.G.D.

3540

Dated 4th November 1947.

To

The Firms dealing in furniture articles.

Enquiry No. 8597.

Subject:—Supply of furniture articles to the Several Ranges in Shimoga District.

Dear Sir/Gentlemen,

No. S P.C. 10658-70. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Supply of furniture articles to the Several Ranges in Shimoga District" with the above enquiry number.

This enquiry will be closed on the 15th November 1947.

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price quoted F. O. R.	Time of delivery
1	T. W. Bug Proof Chairs ...	24	...	...
2	T. W Blackboards 5'×3'×1". not more than 3 planks to be used.	32	...	...
3	T. W. Planks 6'×14"×1" Single plank to be used.	58	...	...
4	T. W. Stools 18"×12"×18" top plank 1" thick Single plank to be used.	30	...	...
5	T. W. Map racks 4'×2½"×1" with 8 pairs of hooks and rings to hang.	40	...	...
6	T. W. Benches 6'×1'×15" ...	18	...	...
7	T. W. Boxes 27"×21"×15" ...	3	...	...

Delivery:—F. O. R. Any Railway Station in Shimoga District.

N. B.—1. In case you secure order, the supply should be completed within 6 weeks from the date of receipt of order

2. The time limit, should on no account be exceeded.

3518

Dated 4th November 1947.

To

The Firms dealing in Furniture Articles.

Enquiry No. 8598.

Subject:—Supply of articles of furniture to the New Primary Schools sanctioned in Shimoga District.

Dear Sir/Gentlemen,

No. S. P. C. 10646-57. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be, subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of furniture articles to the New Primary Schools of Shimoga District," with the above enquiry number.

This enquiry will be closed on the 15th November 1947.

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price quoted F. O. R.	Time of delivery
1	T. W. Bug Proof Chairs Sl. 4 of S. I.	32		
2	T. W. Planks 6'×14"×1", single plank to be used thickness of plank 1".	128		
3	T. W. wall Blackboards 5'×3'×1" not more than 3 planks to be used.	32		

Delivery f.o.r. any Railway Station in the Shimoga District.

N B.—In the event of order, the supply should be completed within six weeks from the date of receipt of order.

3520

Dated 4th November 1947.

To

The Firms dealing in Valves.

Enquiry No. 8599.

8" stop valve required for Water Supply Division.

Dear Sir/Gentlemen,

No. S. P. C. 10639-45. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for 8" stop valve required for Water Supply Division" with the above enquiry number.

This enquiry will be closed on the 25th November 1947.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R. Bangalore.	Time of delivery
	8" diameter stop valve suitable for 950' head working pressure flanged on both sides. Flanged details to be as below.—	One	...	
	Flanged diameter 14½"			
	Diameter of bold holes 7/8"			
	Number of bolt holes 12			
	Pitch circle diameter 12½"			

3521

Dated 4—5th November 1947.

To

The Firms dealing in T. W. Shutters etc.

Enquiry No. 8607.

Subject:—T. W. Shutters, etc., to Rampur Channel Second Section.

DEAR SIR/GENTLEMEN,

No. S. P. C. 10736-42. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for T.W. Shutters, etc. to Rampur Channel Second Section" with the above enquiry number.

This enquiry will be closed on the 15th November 1947.

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price quoted F. O. R. Mysore	Time of delivery.
	T. W. Sluice Shutters etc. as noted below:			
1	Each T. W. Shutter should be 1½"×1½"×2" in size		...	8
	Do do 2½"×1½"×2"	do	...	1
	Do do 1½"×1½"×2"	do	...	12
	Do do 2"×½"×2"	do	...	8
2	Teak wood used should be free from any flaws and well seasoned			
3	The joints of T. W. planks should be half laped			
4	Edges and sides of shutters on all the 4 sides in front to be mounted with single iron 2"×2"×¼" and the rear side edge with flat iron 2" wide and ¼" thick as snown in the sketch.			
5	T. W. planks should be fixed horizontally and the width of the plank should not be less than 8" to 9" wide.			
6	The front and the rear faces of shutter should be fitted with M. S. flat iron of 2" width and ¼" thick and both sides should be riveted with counter sunk rivets. The rivets should be spaced 4" apart.			
7	Eye bolts for fixing gear rod to the shutter should be 4" to 5" in length and 1" in diameter.			
8	The shutter should be painted in two coats of approved black paint.			

GEAR ROD:

1 The length of gear rod should be 7½" with 1½" diameter and threaded to a length of 5' from top alround (24 rods are required).

GEAR BOX:

1 This should be suitable to the gear rod.

SPANNER:

1 Four suitable spanners should be manufactured.

FOUNDATION BOLTS:

1 The foundation bolts should be M. S. rod 3' in length and ¾" diameter and threaded to a length of 6" at top with bed plate of 6" square with nuts etc. complete.

NOTE: This specification holds good for all sizes of shutters.

N.B.—1 The price to be quoted should be for each T. W. Shutter complete with Gear Road, Gear Box, Spanner and Foundation Bolts.

2 A sketch of the shutter can be seen during office hours.

3522 D. S. RAGHAVENDRACHAR, *Secy., S.P.C.*